





The legend lives on:

For decades, Krülland Bauka pools have had a true fan base across Europe, both among professional pool companies and people interested in pools. They are similar to steel frame pools as regards the basic principle, and therefore just as easy and fast to install. However, their pool wall is not made of steel, but of aluminium, which is much lighter and more corrosion-resistant. This means they are more durable, and easier to transport and set up. Krülland has for many years also been known as a supplier of classic steel frame pools.

Chemoform AG acquired the Krülland pool production division in 2014. In the future, Krülland aluminum and steel frame pools will be produced in the Chemoform plant at Buhl/France, using machines and tools developed by Krülland.

So the legend lives on - under the umbrella of the successful Chemoform AG. Krülland pools will be produced in the Chemoform AG plant in Buhl/France in the future.

Krülland pools

<i>Krülland BAUKA pools</i>	120
<i>Krülland BAUKA pools</i>	121



Source: Chemoform

Krülland BAUKA pools

Special materials for special requirements: In case of Krülland Bauka pools, the pool wall is not made of steel, but of aluminium, which is much lighter and more corrosion-resistant. This means they are more durable, and easier to transport and set up.

ROUND POOLS IN ALUMINIUM	Dimensions (ø x h) in m	Art. no.	€ incl. VAT	€ excl. VAT
BAUKA ROUND	3.00 x 1.20	✓ B61121030KB		
BAUKA ROUND	4.00 x 1.20	✓ B61121040KB		
BAUKA ROUND	4.80 x 1.20	✓ B61121480KB		
BAUKA ROUND	5.00 x 1.20	✓ B61121050KB		
BAUKA ROUND	6.00 x 1.20	✓ B61121060KB		
BAUKA ROUND	3.00 x 1.50	✓ B61151030KB		
BAUKA ROUND	4.00 x 1.50	✓ B61151040KB		
BAUKA ROUND	4.80 x 1.50	✓ B61151480KB		
BAUKA ROUND	5.00 x 1.50	✓ B61151050KB		
BAUKA ROUND	6.00 x 1.50	✓ B61151060KB		



Aluminium pools with aluminium handrails

* Chemoform AG has taken the remaining stock of wide aluminum handrails.
In the future all Krülland pools are supplied with narrow aluminum handrails.



Source: Chemoform

Krülland BAUKA pools

- Main features:
- Pool walls made of high-quality, 1 mm strong corrosion-free aluminum
 - Handrails made of extruded, high-grade aluminum*
 - Extremely durable overlap liners, thickness: 0.8 mm.



OVAL POOLS IN ALUMINIUM	Dimensions (l x w x h) in m	Art. no.	€ incl. VAT	€ excl. VAT
BAUKA OVAL	5.00 x 3.00 x 1.20	✓ B62121350KB		
BAUKA OVAL	6.00 x 3.00 x 1.20	✓ B62121360KB		
BAUKA OVAL	7.00 x 3.00 x 1.20	✓ B62121370KB		
BAUKA OVAL	9.00 x 3.00 x 1.20	✓ B62121390KB		
BAUKA OVAL	5.00 x 3.00 x 1.50	✓ B62151350KB		
BAUKA OVAL	6.00 x 3.00 x 1.50	✓ B62151360KB		
BAUKA OVAL	7.00 x 3.00 x 1.50	✓ B62151370KB		
BAUKA OVAL	9.00 x 3.00 x 1.50	✓ B62151390KB		
BAUKA OVAL	6.00 x 4.00 x 1.50	✓ B62151460KB		
BAUKA OVAL	8.00 x 4.00 x 1.50	✓ B62151480KB		
BAUKA OVAL	10.00 x 4.00 x 1.50	✓ B62151410KB		
BAUKA OVAL	10.00 x 5.00 x 1.50	✓ B62151510KB		
BAUKA OVAL	12.00 x 6.00 x 1.50	✓ B62151612KB		





Top quality at competitive prices: Steel frame pools should not be bought just anywhere; opt for specialists with own development and production. In their plant in Buhl (France), Chemoform AG manufactures high-grade steel frame pools in large numbers for customers across Europe. This allows us to offer our steel frame pools at very attractive prices.

The following pages provide an overview of our wide range of high-quality round steel frame pools.

Exclusive steel frame pools round

<i>Exclusive steel frame pools round</i>	124
<i>Exclusive steel frame pools round PLUS</i>	124
<i>PEB safety covers</i>	125
<i>Air-cushion safety covers</i>	125
<i>Protector Palma</i>	125

Exclusive steel frame pools round

This type of pool allows a semi-inground (min. 50 cm), inground or free installation. Swimming pool liner 0.6 mm, PVC, UV-stabilized, Adriatic blue, frost-resistant, particularly simple and precise installation due to welded profile. Steel wall 0.6 mm (with pool depth 1.50 = 0.8 mm), galvanized, with

protective coating, outside plastic coated in addition. Easy installation due to connection with aluminium plug profiles (no screwing of steel wall required) and high-quality plastic profiles (handrail and bottom rail), or optionally also with aluminum handrail.

Description	Art. no.	€ incl. VAT	€ excl. VAT	Art. no.	€ incl. VAT	€ excl. VAT
Dimensions (ø x H)	With plastic handrail and liner 0.6 mm			Suitable aluminium hand rail		
3.00 x 1.20	501010120			S69436011		
3.50 x 1.20	501010128			S69436012		
4.20 x 1.20	501010125			S69436013		
4.50 x 1.20	501010164					
5.00 x 1.20	501010126			S69436014		
6.00 x 1.20	501010127			S69436023		
3.50 x 1.50	501010170			S69436012		
4.20 x 1.50	501010139			S69436013		
4.50 x 1.50	501010172					
5.00 x 1.50	501010130			S69436014		
6.00 x 1.50	501010131			S69436023		

Exclusive steel frame pools round PLUS

Complete pool incl. equipment package

The popular exclusive steel frame pools are now also available as Plus version, i.e. as complete package including equipment package! Your advantage: The equipment package consists of a professional filter system that fits the pool

size, including silica sand, components such as skimmer, return nozzle and fleece. No need to worry about the technology - it works! A list of equipment packages can be found here, just fill the item number of the matching technology package in when ordering the pool.

For suitable ladders according to your desires, see page 206.

Description	Art. no.	€ incl. VAT	€ excl. VAT
Technical equipment package up to 20 m³	TP20		
Consisting of: <ul style="list-style-type: none"> 1 filter system set 400 mm with fixed piping, 7.5 m³/h 2 bags silica sand 0.4 - 0.8 mm 1 built-in skimmer 1 inlet nozzle 1 piping set incl. pressure hose 50 mm Ø Fleece 			
Technical equipment package up to 40 m³	TP40		
Consisting of: <ul style="list-style-type: none"> Filter system set 500 mm with fixed piping, 115 m³/h 3 bags silica sand 0.4 - 0.8 mm 1 built-in skimmer 1 inlet nozzle 1 piping set incl. pressure hose 50 mm Ø Fleece 			



Pool info

This type of pool can be built both by yourself and by your Chemoform AG dealer. Detailed information on construction/setup can be found in the assembly instructions, which you can request in advance.



PEB safety covers

Safety cover made of tear-resistant, UV-stable PEB mesh fabrics (green), thickness 0.22 mm.



Description	Art. no.	€ incl. VAT	€ excl. VAT
PEB safety cover			
<ul style="list-style-type: none"> For round pools incl. cord Dimensions (ø) 			
3.00	501540008		
3.50	501540029		
4.20	501540002		
4.50	501540028		
5.00	501540003		
6.00	501540004		

Air-cushion safety covers

Floating cover made of UV-resistant bubble wrap (blue), 400 µm, incl. edge reinforcement.



Description	Art. no.	€ incl. VAT	€ excl. VAT
Air-cushion safety cover			
<ul style="list-style-type: none"> For round pools Dimensions (ø) 			
3.00	4770222		
3.50	4770223		
4.20	4770224		
4.50	4770225		
5.00	4770226		
6.00	4770227		

Protector Palma

Developed as insulation and pressure protection for round steel frame pools with a height of 1.20 m.

With its double-row system (height: 37 and 15 cm) you reach a total height of 52 cm and a wall thickness of 13 cm. Again, there are different installation options that you can choose from.

A set allows you to sink up to half of your steel frame pool, to sink the pool completely you need two sets.



Description	Art. no.	€ incl. VAT	€ excl. VAT
Protector Palma			
<ul style="list-style-type: none"> Protector height 50 cm 			
3.00 m Ø	458550112		
3.50 m Ø	458550113		
4.20 m Ø	458550114		
4.50 m Ø	458550115		
5.00 m Ø	458550116		
6.00 m Ø	458550117		





Top quality at competitive prices: Steel frame pools should not be bought just anywhere; opt for specialists with own development and production. Chemoform AG manufactures high-grade steel frame pools in large numbers for customers across Europe at their plant in Buhl (France). This allows us to offer our steel frame pools at very attractive prices.

The following pages provide an overview of our wide range of high-quality oval steel frame pools.

Exclusive steel frame pools oval

<i>Exclusive steel frame pools oval</i>	128
<i>Exclusive steel frame pools oval PLUS</i>	128
<i>PEB safety covers</i>	129
<i>Air-cushion safety covers</i>	129



Source: Chemoform

Exclusive steel frame pools oval

This type of pool is for inground installation only. Swimming pool liner 0.6 mm, PVC, UV-stabilized, Adriatic blue, frost-resistant, particularly simple and precise installation due to welded profile. Steel wall 0.6 mm (with pool depth 1.50 = 0.8 mm), galvanized, with protective coating, outside plastic coated in

addition. Easy installation due to connection with aluminum plug profiles (no screwing of steel wall required) and high-quality plastic profiles (handrail and bottom rail), or optionally also with aluminum handrail.

Description	Art. no.	€ incl. VAT	€ excl. VAT	Art. no.	€ incl. VAT	€ excl. VAT
Dimensions (w x l x h)	With plastic handrail and liner 0.6 mm			Suitable aluminium hand rail		
3.20 x 6.00 x 1.20	4501010242			S69436016		
3.50 x 7.00 x 1.20	4501010243			S69436017		
4.20 x 8.00 x 1.20	4501010244			S69436018		
3.20 x 5.25 x 1.50	4501010241			S69436015		
3.20 x 6.00 x 1.50	4501010256			S69436016		
3.50 x 7.00 x 1.50	4501010248			S69436017		
4.20 x 8.00 x 1.50	4501010249			S69436018		

Exclusive steel frame pools oval PLUS

Complete pool incl. equipment package

The popular exclusive steel frame pools are now also available as Plus version, i.e. as complete package including equipment package! Your advantage: The equipment package consists of a professional filter system that fits the pool

size, including silica sand, components such as skimmer, return nozzle and fleece. No need to worry about the technology - it works! A list of equipment packages can be found here, just fill the item number of the matching technology package in when ordering the pool.

For suitable ladders according to your desires, see page 206.

Description	Art. no.	€ incl. VAT	€ excl. VAT
Technical equipment package up to 20 m³ Consisting of: <ul style="list-style-type: none"> 1 filter system set 400 mm with fixed piping, 7.5 m³/h 2 bags silica sand 0.4 - 0.8 mm 1 built-in skimmer 1 inlet nozzle 1 piping set incl. pressure hose 50 mm Ø Fleece 	TP20		
Technical equipment package up to 40 m³ Consisting of: <ul style="list-style-type: none"> Filter system set 500 mm with fixed piping, 11 m³/h 3 bags silica sand 0.4 - 0.8 mm 1 built-in skimmer 1 inlet nozzle 1 piping set incl. pressure hose 50 mm Ø Fleece 	TP40		



Pool info




This type of pool can be built both by yourself and by your Chemoform AG dealer. Detailed information on construction/setup can be found in the assembly instructions, which you can request in advance.



PEB safety covers

Safety cover made of tear-resistant, UV-stable PEB mesh fabrics (green), thickness 0.22 mm.





Description	Art. no.	€ incl. VAT	€ excl. VAT
PEB safety cover			
<ul style="list-style-type: none">• For oval pools• incl. cord• Dimensions (w x l)			
3.20 x 5.25	 501540015		
3.20 x 6.00	 501540032		
3.50 x 7.00	 501540035		
4.20 x 8.00	 501540033		

Air-cushion safety covers

Floating cover made of UV-resistant bubble wrap (blue), 400 µm, incl. edge reinforcement.



Description	Art. no.	€ incl. VAT	€ excl. VAT
Air-cushion safety cover			
<ul style="list-style-type: none">• For oval pools• Dimensions (w x l)			
3.20 x 5.25	 4770229		
3.20 x 6.00	 4770230		
3.50 x 7.00	 4770241		
4.20 x 8.00	 4770242		



Information about accessories

If you have selected your desired pool or it has been set up in your garden before, you can use our exclusive accessories to make it even more beautiful, sporty, fun, or energy efficient. Some examples:

Pool lighting	from page 210
Counter-current systems	from page 216
Showers	from page 233
Solar systems	from page 187
Energy-saving lamps	from page 175







Top quality at competitive prices: Steel frame pools should not be bought just anywhere; opt for specialists with own development and production. In their plant in Buhl (France), Chemoform AG manufactures high-grade steel frame pools in large numbers for customers across Europe. This allows us to offer our steel frame pools at very attractive prices.

The following pages provide an overview of our wide range of high-quality, figure-8 shaped steel frame pools.

Exclusive steel frame pools figure-8 shaped

<i>Exclusive steel frame pools figure-8 shaped</i>	132
<i>Exclusive steel frame pools figure-8 shaped PLUS</i>	132
<i>PEB safety covers</i>	133
<i>Air-cushion safety covers</i>	133



Source: Chemoform

Exclusive steel frame pools figure-8 shaped

This type of pool allows a semi-inground (min. 50 cm), inground or free installation. Swimming pool liner 0.6 mm, PVC, UV-stabilized, Adriatic blue, frost-resistant, particularly simple and precise installation due to welded profile. Steel wall 0.6 mm (with pool depth 1.50 = 0.8 mm), galvanized, with

protective coating, outside plastic coated in addition. Easy installation due to connection with aluminum plug profiles (no screwing of steel wall required) and high-quality plastic profiles (handrail and bottom rail) and central support structure made of galvanized steel.

Description	Art. no.	€ incl. VAT	€ excl. VAT
Dimensions (w x l x h)	With plastic handrail and liner 0.6 mm		
3.20 x 5.25 x 1.20	4501010512		
3.60 x 6.25 x 1.20	4501010513		
4.60 x 7.25 x 1.20	4501010515		
3.20 x 5.25 x 1.50	4501010514		
3.60 x 6.25 x 1.50	4501010517		
4.60 x 7.25 x 1.50	4501010518		

Exclusive steel frame pools figure-8 shaped PLUS

Complete pool incl. equipment package

The popular exclusive steel frame pools are now also available as Plus version, i.e. as complete package including equipment package! Your advantage: The equipment package consists of a professional filter system that fits the pool

size, including silica sand, components such as skimmer, return nozzle and fleece. No need to worry about the technology - it works! A list of equipment packages can be found below, just fill the item number of the matching technology package in when ordering the pool.

For suitable ladders according to your desires, see page 206.

Description	Art. no.	€ incl. VAT	€ excl. VAT
Technical equipment package up to 20 m³	TP20		
Consisting of: <ul style="list-style-type: none"> 1 filter system set 400 mm with fixed piping, 7.5 m³/h 2 bags silica sand 0.4 - 0.8 mm 1 built-in skimmer 1 inlet nozzle 1 piping set incl. pressure hose 50 mm Ø Fleece 			
Technical equipment package up to 40 m³	TP40		
Consisting of: <ul style="list-style-type: none"> Filter system set 500 mm with fixed piping, 11 m³/h 3 bags silica sand 0.4 - 0.8 mm 1 built-in skimmer 1 inlet nozzle 1 piping set incl. pressure hose 50 mm Ø Fleece 			



Pool info




This type of pool can be built both by yourself and by your Chemoform AG dealer. Detailed information on construction/setup can be found in the assembly instructions, which you can request in advance.



PEB safety covers

Safety cover made of tear-resistant, UV-stable PEB mesh fabrics (green), thickness 0.22 mm.






Description	Art. no.	€ incl. VAT	€ excl. VAT
PEB safety cover			
<ul style="list-style-type: none">Forc figure-8 shaped poolsincl. cordDimensions (w x l)			
3.20 x 5.25	 501540015		
3.60 x 6.25	 501540012		
4.60 x 7.25	 501540013		

Air-cushion safety covers

Floating cover made of UV-resistant bubble wrap (blue), 400 µm, incl. edge reinforcement.



Description	Art. no.	€ incl. VAT	€ excl. VAT
Air-cushion safety cover			
<ul style="list-style-type: none">For figure-8 shaped poolsDimensions (w x l)			
3.20 x 5.25	 4770231		
3.60 x 6.25	 4770232		
4.60 x 7.25	 4770233		



Information about accessories

If you have selected your desired pool or it has been set up in your garden before, you can use our exclusive accessories to make it even more beautiful, sporty, fun, or energy efficient. Some examples:

Pool lighting	from page 210
Counter-current systems	from page 216
Showers	from page 233
Solar systems	from page 187
Energy-saving lamps	from page 175

